


CAPILLARY THERMOSTATS - RAINBOW


TS-040S

Stainless Steel Bulb and Capillary
 SPDT Changeover Contacts 16A 240V
 Comes complete with Knob and Bezel
 Range:- 0°C to 40°C
 Bulb size:- 5.8mm x 126mm
 Capillary:- 1000mm
 Differential:- 4°C ± 2°C



TS-050S

Stainless Steel Bulb and Capillary
 SPDT Changeover Contacts 16A 240V
 Comes complete with Knob and Bezel
 Range:- 0°C to 50°C
 Bulb size:- 5.8mm x 126mm
 Capillary:- 1000mm
 Differential:- 4°C ± 2°C



TS-120S

Stainless Steel Bulb and Capillary
 SPDT Changeover Contacts 16A 240V
 Comes complete with Knob and Bezel
 Range:- 0°C to 120°C
 Bulb size:- 5mm x 104mm
 Capillary:- 1000mm
 Differential:- 4°C ± 2°C




TS-200S

Stainless Steel Bulb and Capillary
 SPDT Changeover Contacts 16A 240V
 Comes complete with Knob and Bezel
 Range:- 0°C to 210°C
 Bulb size:- 5mm x 67mm
 Capillary:- 1000mm
 Differential:- 10°C ± 5°C



TS-320S

Stainless Steel Bulb and Capillary
 SPDT Changeover Contacts 16A 240V
 Comes complete with Knob and Bezel
 Range:- 50°C to 320°C
 Bulb size:- 3mm x 179mm
 Capillary:- 1000mm
 Differential:- 10°C ± 5°C



DIFFERENTIAL

Basically, the differential on a thermostat is the difference between the temperature at which the thermostat is set to turn off (or turn on), and the temperature that it switches back on again (or off).